



OXFORDSHIRE  
COMMUNITY  
DENTAL  
SERVICE



Oxford Health  
NHS Foundation Trust



Oxfordshire Community Dental Service

# Intravenous sedation information leaflet

Going the extra mile to make Oxfordshire smile

Intravenous sedation is used to help people who are very anxious cope with dental treatment. It is also useful if you are to have a surgical procedure performed.

## How is intravenous sedation given?

“Intravenous” means that the drug is given through a vein. An extremely thin needle is placed into a vein close to the surface of the skin into either the back of the hand or the arm. The needle is then removed leaving a soft plastic tube in place called a cannula. The sedation drug is given through this plastic tube.

Throughout the procedure, your pulse and oxygen levels are measured using a “pulse oximeter”. This clips onto a finger and measures pulse and oxygen saturation.

## What does it feel like? Will I be asleep?

Intravenous sedation **does not** make you go to sleep. You will feel drowsy and relaxed and will also be able to understand and respond to requests from your dentist. Time will appear to pass very quickly and most people remember very little of the treatment afterwards. You may feel as if you have been to sleep.

You will still have local anaesthetic (an injection in the mouth to numb your tooth to be treated), but this will not be given until you are sedated.

## What drugs are used?

These are anti-anxiety sedative drugs. In the UK, a benzodiazepine midazolam is almost always the only drug used for IV sedation when not in a hospital setting.

## Is it safe?

As you are not unconscious IV sedation is extremely safe. The potential risks of a general anaesthetic are avoided.

## Before IV sedation:

1. You must bring a responsible adult with you who must be present at the beginning of the appointment. Children must not be brought to the appointment. This escort is required for your safe journey home.
2. You should **not** starve yourself. A light meal (for example tea and toast) is advisable together with small non-alcoholic drinks.
3. You must take your routine medicines at the usual time. Bring inhalers with you.
4. You should wear flat shoes and comfortable clothing that does not constrict your breathing or the ability to roll up your sleeves.
5. You must not drink any alcohol for 24 hours before your appointment.
6. You must not wear false nails, nail varnish or foundation make-up.
7. You must phone if there is a change in your health or you develop a cough, cold or chest problems.

## After IV sedation:

1. You must travel home with your escort by car or taxi.
2. You must stay resting quietly at home for the rest of the day with a responsible adult present.
3. You must not drive or go on to the road.
4. You must not use any equipment that may harm you, for example kettles, cookers, knives, power tools.
5. You must not sign any legal or business documents until the following day.
6. You must not drink alcohol for 24 hours after sedation.

If you need the information in another language or format please ask us

Nëse ky informacion ju nevojitet në një gjuhë apo format tjetër, ju lutem na kontaktoni

আপনি যদি এই তথ্যাদি অন্য কোন ভাষায় বা মাধ্যমে (ফরম্যাট) পেতে চান তবে দয়া করে আমাদেরকে বলুন

જો નમને આ માહિતી બીજી ભાષામાં અથવા બીજા આકારમાં જોઈએ, તો કૃપા કરીને અમને પૂછો

यदि आपको यह जानकारी किसी दूसरी भाषा या आकार में चाहिए हो तो कृपया हम से पूछें

若您需要本信息的另一种语言或格式的版本，请与我们联系

নেত্র ভ্রাতৃত্ব চিত্র সন্তকবী বিসী ভূনী ভ্রামা না সন্তক বিঁচ চাচীচী হেঁই তা বিবথা লব বে সন্তু পুঁই

اگر آپ کو یہ معلومات کسی دوسری زبان میں یا کسی دوسرے طریقے سے درکار ہیں تو براہ کرم ہم سے پوچھیں۔۔

For more information or to download leaflets please go to the website below.

Oxford Health NHS Foundation Trust  
Astral House  
Granville Way  
Bicester  
Oxfordshire  
OX26 4JT

Telephone 01865 904076  
Email [Oral.Health@oxfordhealth.nhs.uk](mailto:Oral.Health@oxfordhealth.nhs.uk)  
Website [www.oxfordhealth.nhs.uk](http://www.oxfordhealth.nhs.uk)