



Wound services

Pressure area care

A guide for patients

What is a pressure ulcer?

A pressure ulcer is an area of damage to the skin and underlying tissue. They are sometimes known as pressure sores or bed sores.

What causes a pressure ulcer?

Pressure ulcers are caused by poor circulation to tissues due to a combination of the following factors:

Pressure

Body weight and some equipment (for example anti-thrombosis stockings) can squash the skin and other tissues where parts are under pressure. This reduces the blood supply and can lead to tissue damage.

Shearing

Sliding or slumping down the bed or chair can damage the skin and deeper layers of tissue.

Friction

Poor moving and handling methods can remove the top layers of skin. Repeated friction can increase your risk.

Who is most at risk of developing pressure ulcers?

You may be at risk of developing pressure ulcers for a number of reasons, including the following:

Problems with movement

If your ability to move is limited you don't get enough oxygen to parts under pressure.

Poor circulation

Vascular disease or smoking reduces your circulation.

Moist skin

You may be at increased risk if your skin is too damp, due to incontinence, sweat or a weeping wound. It is important that your skin is kept clean and healthy.

Lack of sensitivity to pain or discomfort

Conditions such as diabetes, stroke, nerve or muscle disorders etc. reduce the normal sensations that usually prompt you or enable you to move.

Previous tissue damage

Scar tissue will have lost some of its previous strength and is more prone to breakdown.

Inadequate diet or fluid intake

Lack of fluid may dehydrate your tissues. Weight gain or loss can affect the pressure distribution over bony points and healing.

Risk assessment

To assess your risk of developing pressure ulcers, a member of your health care team will examine/ assess you and ask some questions. This will help to identify if you require specialised equipment or other forms of care, and will assist in providing for your individual needs.


What are the early signs of a pressure ulcer?

You will notice the following signs:

- change in skin colour: redder or darker
- heat or cold
- discomfort or pain
- blistering
- skin damage

Without appropriate intervention the damage may worsen, developing into hard black tissue or an open wound.

Common locations of pressure ulcers



What can I do to avoid pressure ulcers?

There are several ways you can reduce the risk of pressure ulcers:

Keep moving

Regularly changing your position helps to keep blood flowing. If you have reduced movement, the health care team looking after you will assist you with your regular turns in addition to providing specialist mattresses, cushions etc.

Look for signs of damage

Check your skin for pressure damage at least once a day. Look for skin that doesn't go back to its normal colour after you have taken your weight off it. Do not continue to lie on skin that is redder or darker than usual. Also watch out for blisters, dry patches or breaks in the skin.

Protect your skin

Wash your skin using warm water or pH neutral cleansers. Do not use heavily perfumed soap or talcum powder as these can soak up the skin's natural oils leading to vulnerable dry areas. If you suffer from incontinence please inform your health care team as they can assess the best way to deal with the problems. Rubbing or massaging skin is bad for it.

Eat a well-balanced diet

Make sure you eat a healthy balanced diet and drink plenty of fluids. Extra protein may help.

What should I do if I suspect a pressure ulcer?

Tell your doctor, nurse or therapist as soon as possible and follow the advice they give you.

Eat and drink as medically advised.

Concerns and complaints

We aim to provide you with a high quality service at all times. However, if you have any concerns, complaints or comments about your experience of our service then please tell a member of the team or contact the PALS and complaints team on freephone 0800 328 7971.

If you would like to have information translated into a different language, please contact the Equality and Diversity Team at: EqualityandInclusion@oxfordhealth.nhs.uk

Arabic يُرجى الاتصال بنا إذا كنتم ترغبون في الحصول على المعلومات بلغة أخرى أو بتسويق مختلف.

Bengali আপনি এই তথ্য অন্য ভাষায় বা আলাদা আকারে পেতে চাইলে অনুগ্রহ করে আমাদের সাথে যোগাযোগ করুন।
Urdu اگر آپ یہ معلومات دیگر زبان یا مختلف فارمیٹ میں چاہتے ہیں تو برائے مہربانی ہم سے رابطہ کریں۔

Chinese 若要以其他語言或格式提供這些資訊，請與我們聯繫

Polish Aby uzyskać informacje w innym języku lub w innym formacie, skontaktuj się z nami.

Portuguese Queira contactar-nos se pretender as informações noutra idioma ou num formato diferente.

Oxford Health NHS Foundation Trust
Trust Headquarters
Littlemore Mental Health Centre
Sandford Road
Oxford
OX4 4XN

Switchboard 01865 901 000
Email enquiries@oxfordhealth.nhs.uk
Website www.oxfordhealth.nhs.uk

Become a member of our Foundation Trust
www.ohftnhs.uk/membership