

**OCCG Wound Management Advice & Prescribing Guidance 2022. Summary of formulary choices.**

<b>Dressings Category</b>	<b>1<sup>st</sup> line Wound Management Product – must be ordered on HALO</b>
<b>Dressing packs and gauze swabs</b>	DressIT Sterile Dressing Packs Soft swab Non-sterile swabs 100 pack
<b>Semi-permeable film dressings</b>	Hydrofilm
<b>Contact layer –low adherent</b>	NA Ultra Atrauman – store horizontally
<b>Perforated dressing with adherent border</b>	Softpore Hydrofilm plus – for when a waterproof option is necessary
<b>Absorbent dressings</b>	<ul style="list-style-type: none"> <li>• Zetuvit Non-Sterile dressing pad</li> <li>• Xupad sterile dressing pad - For acute &amp; post-op use only where there is a risk of infection or autoimmune patients</li> <li>• Kliniderm Silicone Border – for skin tears and leg wounds under hosiery. Low to moderate exudate only.</li> <li>• Kliniderm Superabsorbent – for moderate to highly exuding wounds</li> <li>• Biatain Super Adhesive – super absorbent. Not to be used under bandages/on legs</li> </ul>
<b>Hydrogel Sheet</b>	Actiform Cool – for dry or necrotic wounds (donates and absorbs fluid) needs to be cut to size of wound.
	Urgoclean pad – debridement pad dressing for non-infected wounds with low to moderate exudate
<b>Hydrocolloid</b>	Hydrocoll border – variety of sizes
<b>Gelling Fibre (replacing Alginates)</b>	Aquafiber Extra – for moderate to highly exuding wounds. Aquafiber Extra Ribbon - can be removed in one piece and so safe to lightly pack into sinuses
<b>Surgical tape</b>	Clinipore 2.5cm x 5m- to secure a bandage, not to used directly on the skin Omnifix 10cmx10m (best practice use would be to decant a certain amount into a bag with scissors. Do not take the whole 10m into a patient’s home where possible). Not available on e-procurement when Hyperfix should be substituted.
<b>Retention bandages Support bandage</b>	K-band 10cm x 4m K `lite
<b>Sub compression wadding</b>	K-Soft
<b>Short stretch compression bandage</b>	Actico (single use only) 8cm, 10cm and 12 cm Rosidal k latex free – for use in patients with latex allergy only
<b>Two-layer compression system</b>	K-Two ankle circumference 18-25cm and 25-32cm K-Two latex free - for use in patients with latex allergy only
<b>Reduced compression bandage</b>	Ko-flex for ankle circumference 18-25cm K-Two Reduced for ankle circumference 25-32cm
<b>Elasticated viscose stockinette</b>	Actifast 2 way stretch (red line 1 m, blue and yellow line 5 m, Beige Line 1m). To secure dressings when adhesive dressing or tape is not indicated. Comfinette stockinette size 56 and 78 to use as a liner under K-soft if the patient has eczema/irritant dermatitis or a known sensitivity to wool
<b>Elasticated tubular bandage</b>	Comfigrip-size D,E,F,G all 1meter lengths
<b>Toe Bandaging</b>	Mollelast conforming bandage- Toe bandaging used in the treatment of chronic oedema
<b>Povidone Iodine dressings</b>	Inadine

For patient specific use obtained via HALO with a patient's NHS number and rationale for use	
<b>Silicone wound contact layer</b>	Activheal silicone wound contact layer
<b>Antimicrobials</b>	
<b>1<sup>st</sup> line Honey</b>	Algivon Plus, Algivon Plus Ribbon, Medihoney Gel Sheet, Activon Tube,
<b>2<sup>nd</sup> line Cadexomer Iodine</b>	Iodosorb ointment Iodoflex
<b>3<sup>rd</sup> Line Dry Carbon-</b>	Zorflex – for very wet wounds,
<b>Wound Irrigation Solution</b>	Octenilin wound irrigation solution – for use with debridement and management of Biofilm (pathway pending)
<b>Mechanical debridement pad</b>	Allprep
<b>Adhesive remover</b>	Lifteze 50 ml spray
These are to be prescribed (FP10) or purchased on an individual patient basis	
<b>Barrier preparations</b>	Medi Derma-S barrier cream, Medi Derma-S barrier film – 1ml & 3ml foam applicators, , Medi Derma-S barrier Spray, Medihoney barrier cream, Proshield Plus skin Protectant and Proshield Foam & Spray Cleanser (use the barrier Pathway)
<b>Emollients</b>	Oilatum cream, Epimax ointment, Imuderm cream, Balneum cream, Hydromol Intensive cream.
Restricted Use products –To be prescribed on FP10 only on presentation of written authorisation from Tissue Viability via a signed Dressings Request Form	
<b>Odour control carbon dressing</b>	Clinisorb
<b>Soft polymer wound contact dressing - Protease modulator</b>	Urgostart Contact if not following the Complex Leg Ulcer Pathway.
<b>Larval Therapy</b>	Discuss with TV team
<b>Silicone Gel Sheets</b>	Cica-care - please liaise with specialist service e.g., plastics or TV for support
<b>Compression wrap garments</b>	Farrowwrap 4000, FarrowHybrid sock – 2 <sup>nd</sup> line maintenance compression after hosiery, for intact legs with NO oedema. Not for use with active ulceration
	JUZO ACS Light wraps – foot/ankle, calf, knee & thigh wraps. 2 <sup>nd</sup> line maintenance compression after hosiery, for intact legs. with oedema Not for use with active ulceration
Products only available via Tissue Viability	
<b>Lymphoedema Bandages</b>	Coban 2 - Only to be used when instructed by Tissue Viability who will supply the bandages
<b>Super absorbent dressing</b>	Sorbion Sachet Extra 7.5x7.5cm, 10x10cm, 10x20cm, 20x20cm, 20x30cm, XL, Sorbion S Sachet Drainage – Request by emailing Sorbion Request Form to <a href="mailto:tissueviabilityADMIN@oxfordhealth.nhs.uk">tissueviabilityADMIN@oxfordhealth.nhs.uk</a>
<b>Topical Negative Pressure</b>	VAC Dressings & cannisters



Oxfordshire

*Clinical Commissioning Group*